

## МОРОЗИЛЬНЫЕ КАМЕРЫ ДЛЯ МОРОЖЕННОГО

### ТЕХ. ХАРАКТЕРИСТИКИ

По вопросам продаж и поддержки обращайтесь:

Алматы (7273)495-231  
Ангарск (3955)60-70-56  
Архангельск (8182)63-90-72  
Астрахань (8512)99-46-04  
Барнаул (3852)73-04-60  
Белгород (4722)40-23-64  
Благовещенск (4162)22-76-07  
Брянск (4832)59-03-52  
Владивосток (423)249-28-31  
Владикавказ (8672)28-90-48  
Владимир (4922)49-43-18  
Волгоград (844)278-03-48  
Вологда (8172)26-4159  
Воронеж (473)204-51-73  
Екатеринбург (343)384-55-89  
Иваново (4932)77-34-06  
Ижевск (3412)26-03-58  
Иркутск (395)279-98-46  
Казань (843)206-01-48

Калининград (4012)72-03-81  
Калуга (4842)92-23-67  
Кемерово (3842)65-04-62  
Киров (8332)68-02-04  
Коломна (4966)23-41-49  
Кострома (4942)77-07-48  
Краснодар (861)203-40-90  
Красноярск (391)204-63-61  
Курск (4712)77-13-04  
Курган (3522)50-90-47  
Липецк (4742)52-20-81  
Магнитогорск (3519)55-03-13  
Москва (495)268-04-70  
Мурманск (8152)59-64-93  
Набережные Челны (8552)20-53-41  
Нижний Новгород (831)429-08-12  
Новокузнецк (3843)20-46-81  
Ноябрьск (3496)41-32-12  
Новосибирск (383)227-86-73

Омск (3812)21-46-40  
Орел (4862)44-53-42  
Оренбург (3532)37-68-04  
Пенза (8412)22-31-16  
Петрозаводск (8142)55-98-37  
Псков (8112)59-10-37  
Пермь (342)205-81-47  
Ростов-на-Дону (863)308-18-15  
Рязань (4912)46-61-64  
Самара (846)206-03-16  
Саранск (8342)22-96-24  
Санкт-Петербург (812)309-46-40  
Саратов (845)249-38-78  
Севастополь (8692)22-31-93  
Симферополь (3652)67-13-56  
Смоленск (4812)29-41-54  
Сочи (862)225-72-31  
Ставрополь (8652)20-65-13  
Сургут (3462)77-98-35

Сыктывкар (8212)25-95-17  
Тамбов (4752)50-40-97  
Тверь (4822)63-31-35  
Тольятти (8482)63-91-07  
Томск (3822)98-41-53  
Тула (4872)33-79-87  
Тюмень (3452)66-21-18  
Ульяновск (8422)24-23-59  
Улан-Удэ (3012)59-97-51  
Уфа (347)229-48-12  
Хабаровск (4212)92-98-04  
Чебоксары (8352)28-53-07  
Челябинск (351)202-03-61  
Череповец (8202)49-02-64  
Чита (3022)38-34-83  
Якутск (4112)23-90-97  
Ярославль (4852)69-52-93

Россия +7(495)268-04-70

Казахстан +7(7172)727-132

Киргизия +996(312)96-26-47

Адрес: <https://sagi.nt-rt.ru/> || эл.почта: [sig@nt-rt.ru](mailto:sig@nt-rt.ru)

# HP101L



## Blast freezer-27 kg-Ice Cream

One-piece structure in AISI 304 stainless steel. Rack bars in stainless steel AISI 304, 4 position step 150 mm pitch for 12 containers 36x16,5x12 cm. Production per cycle:27 kg/cycle from -9 to -18°C. Control panel with electronic circuit board equipped with quick access controls for main functions and product core probe management. Air defrosting.



Note

\*in the absence of insertion of probe into core, it will automatically carry out a time cycle

### General information

|                             |                                             |
|-----------------------------|---------------------------------------------|
| Supplier/producer 's name   | SAGI                                        |
| Series                      | Ice Cream                                   |
| Supplier's model identifier | HP101L                                      |
| Category                    | Blast freezer                               |
| Line                        | ice cream - n. 12 containers (36x16,5x12cm) |

### Technical features

|                               |                                 |
|-------------------------------|---------------------------------|
| Yield from -9°C to -18°C (kg) | 27 al cuore in 70/90 minuti     |
| Climate class                 | 5 (+40°C, 40% R.H.)             |
| Refrigerant/GWP               | R452A/2141                      |
| Refrigerant charge, kg        | 2                               |
| LWA dB(A)                     | 72                              |
| Cooling system                | ventilated refrigeration system |
| Defrosting                    | automatic by air                |
| Evaporation of condense drain | automatic                       |
| Refrigeration power -23,3°C W | 3136                            |
| Frequency/voltage             | 400V 3N ~ 50 ÷60 Hz             |
| Electric power, kW            | 4                               |

### Construction features

|           |                                                                                            |
|-----------|--------------------------------------------------------------------------------------------|
| Structure | one-piece structure with rounded corners, with automatic heating of door contact perimeter |
|-----------|--------------------------------------------------------------------------------------------|

# HP101L



|                          |                                                                                                   |
|--------------------------|---------------------------------------------------------------------------------------------------|
| External material        | AISI 304 stainless steel                                                                          |
| Internal material        | AISI 304 stainless steel                                                                          |
| Internal bottom          | press-formed bottom with drain hole                                                               |
| Insulation thickness, mm | 75                                                                                                |
| Door                     | 1 door in AISI 304 stainless steel                                                                |
| Standard hinging door    | on the right / reversible on the site with self-closing device for openings inferior to 90°       |
| Door handle              | integrated full-height                                                                            |
| Internal structure       | crémaillères en acier inox AISI 304 à 4 positions espacement 150 mm pour 12 bacs de 36x16,5x12 cm |
| Evaporator               | cataphoresis anti-corrosion treatment and powder painting                                         |
| Safety interlock switch  | yes, to stop internal fan                                                                         |
| Feet                     | stainless steel AISI 304, adjustable in height                                                    |
| Height of feet, mm       | 105 ÷ 155                                                                                         |

## Control and functions

|                    |                                                                                   |
|--------------------|-----------------------------------------------------------------------------------|
| Kinf of control    | electronic pannel control board                                                   |
| Display            | digital                                                                           |
| Alarms             | optical and acoustical                                                            |
| Functions/programs | automatically switches to the preservation stage after the blast freezing cycle   |
| Cold functions     | Blast-freezing Soft/Hard via time and/or probe detection mode; Precooling (-25°C) |

## Standard

|                        |                                    |
|------------------------|------------------------------------|
| Couple of guides (n.)  | 4                                  |
| Shelves (n.)           | 4                                  |
| Shelf's dimensions, cm | 60x40                              |
| Core probe             | single-detector                    |
| Water collection bowl  | plastic placed on the outer bottom |

## Dimensions and weights

|                        |           |
|------------------------|-----------|
| Packing (LxDxH), cm    | 91x88x202 |
| Dimensions (LxDxH), cm | 80x83x185 |
| Gross Weight (kg)      | 225       |
| Net Weight (kg)        | 200       |

## По вопросам продаж и поддержки обращайтесь:

Алматы (7273)495-231  
Ангарск (3955)60-70-56  
Архангельск (8182)63-90-72  
Астрахань (8512)99-46-04  
Барнаул (3852)73-04-60  
Белгород (4722)40-23-64  
Благовещенск (4162)22-76-07  
Брянск (4832)59-03-52  
Владивосток (423)249-28-31  
Владикавказ (8672)28-90-48  
Владимир (4922)49-43-18  
Волгоград (844)278-03-48  
Вологда (8172)26-41-59  
Воронеж (473)204-51-73  
Екатеринбург (343)384-55-89  
Иваново (4932)77-34-06  
Ижевск (3412)26-03-58  
Иркутск (395)279-98-46  
Казань (843)206-01-48

Калининград (4012)72-03-81  
Калуга (4842)92-23-67  
Кемерово (3842)65-04-62  
Киров (8332)68-02-04  
Коломна (4966)23-41-49  
Кострома (4942)77-07-48  
Краснодар (861)203-40-90  
Красноярск (391)204-63-61  
Курск (4712)77-13-04  
Курган (3522)50-90-47  
Липецк (4742)52-20-81  
Магнитогорск (3519)55-03-13  
Москва (495)268-04-70  
Мурманск (8152)59-64-93  
Набережные Челны (8552)20-53-41  
Нижний Новгород (831)429-08-12  
Новокузнецк (3843)20-46-81  
Ноябрьск (3496)41-32-12  
Новосибирск (383)227-86-73

Омск (3812)21-46-40  
Орел (4862)44-53-42  
Оренбург (3532)37-68-04  
Пенза (8412)22-31-16  
Петрозаводск (8142)55-98-37  
Псков (8112)59-10-37  
Пермь (342)205-81-47  
Ростов-на-Дону (863)308-18-15  
Рязань (4912)46-61-64  
Самара (846)206-03-16  
Саранск (8342)22-96-24  
Санкт-Петербург (812)309-46-40  
Саратов (845)249-38-78  
Севастополь (8692)22-31-93  
Симферополь (3652)67-13-56  
Смоленск (4812)29-41-54  
Сочи (862)225-72-31  
Ставрополь (8652)20-65-13  
Сургут (3462)77-98-35

Сыктывкар (8212)25-95-17  
Тамбов (4752)50-40-97  
Тверь (4822)63-31-35  
Тольятти (8482)63-91-07  
Томск (3822)98-41-53  
Тула (4872)33-79-87  
Тюмень (3452)66-21-18  
Ульяновск (8422)24-23-59  
Улан-Удэ (3012)59-97-51  
Уфа (347)229-48-12  
Хабаровск (4212)92-98-04  
Чебоксары (8352)28-53-07  
Челябинск (351)202-03-61  
Череповец (8202)49-02-64  
Чита (3022)38-34-83  
Якутск (4112)23-90-97  
Ярославль (4852)69-52-93

Россия +7(495)268-04-70

Казахстан +7(7172)727-132

Киргизия +996(312)96-26-47

Адрес: <https://sagi.nt-rt.ru/> || эл.почта: [sig@nt-rt.ru](mailto:sig@nt-rt.ru)