

## ХОЛОДИЛЬНЫЕ ВИТРИНЫ

### ТЕХ. ХАРАКТЕРИСТИКИ

По вопросам продаж и поддержки обращайтесь:

Алматы (7273)495-231  
Ангарск (3955)60-70-56  
Архангельск (8182)63-90-72  
Астрахань (8512)99-46-04  
Барнаул (3852)73-04-60  
Белгород (4722)40-23-64  
Благовещенск (4162)22-76-07  
Брянск (4832)59-03-52  
Владивосток (423)249-28-31  
Владикавказ (8672)28-90-48  
Владимир (4922)49-43-18  
Волгоград (844)278-03-48  
Вологда (8172)26-4159  
Воронеж (473)204-51-73  
Екатеринбург (343)384-55-89  
Иваново (4932)77-34-06  
Ижевск (3412)26-03-58  
Иркутск (395)279-98-46  
Казань (843)206-01-48

Калининград (4012)72-03-81  
Калуга (4842)92-23-67  
Кемерово (3842)65-04-62  
Киров (8332)68-02-04  
Коломна (4966)23-41-49  
Кострома (4942)77-07-48  
Краснодар (861)203-40-90  
Красноярск (391)204-63-61  
Курск (4712)77-13-04  
Курган (3522)50-90-47  
Липецк (4742)52-20-81  
Магнитогорск (3519)55-03-13  
Москва (495)268-04-70  
Мурманск (8152)59-64-93  
Набережные Челны (8552)20-53-41  
Нижний Новгород (831)429-08-12  
Новокузнецк (3843)20-46-81  
Ноябрьск (3496)41-32-12  
Новосибирск (383)227-86-73

Омск (3812)21-46-40  
Орел (4862)44-53-42  
Оренбург (3532)37-68-04  
Пенза (8412)22-31-16  
Петрозаводск (8142)55-98-37  
Псков (8112)59-10-37  
Пермь (342)205-81-47  
Ростов-на-Дону (863)308-18-15  
Рязань (4912)46-61-64  
Самара (846)206-03-16  
Саранск (8342)22-96-24  
Санкт-Петербург (812)309-46-40  
Саратов (845)249-38-78  
Севастополь (8692)22-31-93  
Симферополь (3652)67-13-56  
Смоленск (4812)29-41-54  
Сочи (862)225-72-31  
Ставрополь (8652)20-65-13  
Сургут (3462)77-98-35

Сыктывкар (8212)25-95-17  
Тамбов (4752)50-40-97  
Тверь (4822)63-31-35  
Тольятти (8482)63-91-07  
Томск (3822)98-41-53  
Тула (4872)33-79-87  
Тюмень (3452)66-21-18  
Ульяновск (8422)24-23-59  
Улан-Удэ (3012)59-97-51  
Уфа (347)229-48-12  
Хабаровск (4212)92-98-04  
Чебоксары (8352)28-53-07  
Челябинск (351)202-03-61  
Череповец (8202)49-02-64  
Чита (3022)38-34-83  
Якутск (4112)23-90-97  
Ярославль (4852)69-52-93

Россия +7(495)268-04-70

Казахстан +7(7172)727-132

Киргизия +996(312)96-26-47

Адрес: <https://sagi.nt-rt.ru/> || эл.почта: [sig@nt-rt.ru](mailto:sig@nt-rt.ru)

# KP8A



## Refrigerated display unit +2/+10°C Luxor New Style

Display compartment in tempered glass throughout, black screen-silk printed. Glass door with invisible full-height handle. High luminous intensity anti-glare LED bars lighting. Lower structure in black color. Ventilated refrigeration with evaporator being positioned in the lower part of the structure. Connection to APO.LINK portal for remote control of appliance through accessory (Industry 4.0)



|      |                                                                                                    |
|------|----------------------------------------------------------------------------------------------------|
| Note | - installation allowed to an altitude up to 800 meters above sea level<br>*3000K-4000K-5000K-6000K |
|------|----------------------------------------------------------------------------------------------------|

### General information

|                             |                                      |
|-----------------------------|--------------------------------------|
| Supplier/producer 's name   | SAGI                                 |
| Series                      | Luxor New Style                      |
| Supplier's model identifier | KP8A                                 |
| Category                    | upright refrigerated display units   |
| Type                        | refrigerated display unit            |
| Line                        | catering - pastry&bakery - ice-cream |

### Technical features

|                                |                                 |
|--------------------------------|---------------------------------|
| Temperature ranges, °C         | +2/+10                          |
| Relative humidity (%)          | 70                              |
| Energy Efficiency Class        | C                               |
| Energy consumption/year, kWh/a | 2116                            |
| Method for energy consumption  | EN 23953                        |
| Volume, gross, lt              | 457                             |
| Climate class                  | 4 (+30°C, 55% R.H.)             |
| Refrigerant/GWP                | R290/3                          |
| LWA dB(A)                      | 65                              |
| Cooling system                 | ventilated refrigeration system |
| Defrosting                     | automatic by air                |
| Evaporation of condense drain  | automatic                       |
| Refrigeration power at -10°C W | 851                             |

# KP8A



|                    |                 |
|--------------------|-----------------|
| Frequency/voltage  | 230V 1N~ / 50Hz |
| Electric power, kW | 0,55            |

## Construction features

|                         |                                                                                       |
|-------------------------|---------------------------------------------------------------------------------------|
| Display compartment     | completely in tempered glass with black screen-silk printed (RAL 9005)                |
| Lower structure         | black color (RAL 9005)                                                                |
| LED lighting            | high luminous intensity anti-glare, possibility to change the type of light*          |
| Door                    | 1 glass door                                                                          |
| Standard hinging door   | on the right / no-reversible on the site (contact the manufacturer for the left door) |
| Door handle             | "invisible" full-height                                                               |
| Internal structure      | AISI 304 stainless steel grid-supporting rack                                         |
| Evaporator              | positioned in the lower part of the structure                                         |
| Easymaintenance         | accessibility to all the functional and control components                            |
| Safety interlock switch | yes, to stop internal fan                                                             |
| Feet                    | nr.4 integrated wheels, hidden by the structure                                       |

## Control and functions

|                    |                                                                                 |
|--------------------|---------------------------------------------------------------------------------|
| Kinf of control    | electronic control board with the communication port and signaling HACCP alarms |
| Display            | digital with digit blue                                                         |
| Alarms             | optical and acoustical                                                          |
| Connectivity       | with APOLINK accessory for remote control – Industry 4.0                        |
| Functions/programs | PIR Sense proximity sensor, changes light intensity as customers approach       |

## Standard

|                             |       |
|-----------------------------|-------|
| Shelf (n.)                  | 5     |
| Shelf's dimensions (cm)     | 70x47 |
| Shelf loading capacity (kg) | 12    |

## Dimensions and weights

|                        |               |
|------------------------|---------------|
| Packing (LxDxH), cm    | 89x76x202     |
| Dimensions (LxDxH), cm | 80,5x64,5x184 |
| Gross Weight (kg)      | 247           |
| Net Weight (kg)        | 222           |

## По вопросам продаж и поддержки обращайтесь:

Алматы (7273)495-231  
Ангарск (3955)60-70-56  
Архангельск (8182)63-90-72  
Астрахань (8512)99-46-04  
Барнаул (3852)73-04-60  
Белгород (4722)40-23-64  
Благовещенск (4162)22-76-07  
Брянск (4832)59-03-52  
Владивосток (423)249-28-31  
Владикавказ (8672)28-90-48  
Владимир (4922)49-43-18  
Волгоград (844)278-03-48  
Вологда (8172)26-41-59  
Воронеж (473)204-51-73  
Екатеринбург (343)384-55-89  
Иваново (4932)77-34-06  
Ижевск (3412)26-03-58  
Иркутск (395)279-98-46  
Казань (843)206-01-48

Калининград (4012)72-03-81  
Калуга (4842)92-23-67  
Кемерово (3842)65-04-62  
Киров (8332)68-02-04  
Коломна (4966)23-41-49  
Кострома (4942)77-07-48  
Краснодар (861)203-40-90  
Красноярск (391)204-63-61  
Курск (4712)77-13-04  
Курган (3522)50-90-47  
Липецк (4742)52-20-81  
Магнитогорск (3519)55-03-13  
Москва (495)268-04-70  
Мурманск (8152)59-64-93  
Набережные Челны (8552)20-53-41  
Нижний Новгород (831)429-08-12  
Новокузнецк (3843)20-46-81  
Ноябрьск (3496)41-32-12  
Новосибирск (383)227-86-73

Омск (3812)21-46-40  
Орел (4862)44-53-42  
Оренбург (3532)37-68-04  
Пенза (8412)22-31-16  
Петрозаводск (8142)55-98-37  
Псков (8112)59-10-37  
Пермь (342)205-81-47  
Ростов-на-Дону (863)308-18-15  
Рязань (4912)46-61-64  
Самара (846)206-03-16  
Саранск (8342)22-96-24  
Санкт-Петербург (812)309-46-40  
Саратов (845)249-38-78  
Севастополь (8692)22-31-93  
Симферополь (3652)67-13-56  
Смоленск (4812)29-41-54  
Сочи (862)225-72-31  
Ставрополь (8652)20-65-13  
Сургут (3462)77-98-35

Сыктывкар (8212)25-95-17  
Тамбов (4752)50-40-97  
Тверь (4822)63-31-35  
Тольятти (8482)63-91-07  
Томск (3822)98-41-53  
Тула (4872)33-79-87  
Тюмень (3452)66-21-18  
Ульяновск (8422)24-23-59  
Улан-Удэ (3012)59-97-51  
Уфа (347)229-48-12  
Хабаровск (4212)92-98-04  
Чебоксары (8352)28-53-07  
Челябинск (351)202-03-61  
Череповец (8202)49-02-64  
Чита (3022)38-34-83  
Якутск (4112)23-90-97  
Ярославль (4852)69-52-93

Россия +7(495)268-04-70

Казахстан +7(7172)727-132

Киргизия +996(312)96-26-47

Адрес: <https://sagi.nt-rt.ru/> || эл.почта: [sig@nt-rt.ru](mailto:sig@nt-rt.ru)