

## ХОЛОДИЛЬНЫЕ ПРИЛАВКИ

### ТЕХ. ХАРАКТЕРИСТИКИ

По вопросам продаж и поддержки обращайтесь:

Алматы (7273)495-231  
Ангарск (3955)60-70-56  
Архангельск (8182)63-90-72  
Астрахань (8512)99-46-04  
Барнаул (3852)73-04-60  
Белгород (4722)40-23-64  
Благовещенск (4162)22-76-07  
Брянск (4832)59-03-52  
Владивосток (423)249-28-31  
Владикавказ (8672)28-90-48  
Владимир (4922)49-43-18  
Волгоград (844)278-03-48  
Вологда (8172)26-4159  
Воронеж (473)204-51-73  
Екатеринбург (343)384-55-89  
Иваново (4932)77-34-06  
Ижевск (3412)26-03-58  
Иркутск (395)279-98-46  
Казань (843)206-01-48

Калининград (4012)72-03-81  
Калуга (4842)92-23-67  
Кемерово (3842)65-04-62  
Киров (8332)68-02-04  
Коломна (4966)23-41-49  
Кострома (4942)77-07-48  
Краснодар (861)203-40-90  
Красноярск (391)204-63-61  
Курск (4712)77-13-04  
Курган (3522)50-90-47  
Липецк (4742)52-20-81  
Магнитогорск (3519)55-03-13  
Москва (495)268-04-70  
Мурманск (8152)59-64-93  
Набережные Челны (8552)20-53-41  
Нижний Новгород (831)429-08-12  
Новокузнецк (3843)20-46-81  
Ноябрьск (3496)41-32-12  
Новосибирск (383)227-86-73

Омск (3812)21-46-40  
Орел (4862)44-53-42  
Оренбург (3532)37-68-04  
Пенза (8412)22-31-16  
Петрозаводск (8142)55-98-37  
Псков (8112)59-10-37  
Пермь (342)205-81-47  
Ростов-на-Дону (863)308-18-15  
Рязань (4912)46-61-64  
Самара (846)206-03-16  
Саранск (8342)22-96-24  
Санкт-Петербург (812)309-46-40  
Саратов (845)249-38-78  
Севастополь (8692)22-31-93  
Симферополь (3652)67-13-56  
Смоленск (4812)29-41-54  
Сочи (862)225-72-31  
Ставрополь (8652)20-65-13  
Сургут (3462)77-98-35

Сыктывкар (8212)25-95-17  
Тамбов (4752)50-40-97  
Тверь (4822)63-31-35  
Тольятти (8482)63-91-07  
Томск (3822)98-41-53  
Тула (4872)33-79-87  
Тюмень (3452)66-21-18  
Ульяновск (8422)24-23-59  
Улан-Удэ (3012)59-97-51  
Уфа (347)229-48-12  
Хабаровск (4212)92-98-04  
Чебоксары (8352)28-53-07  
Челябинск (351)202-03-61  
Череповец (8202)49-02-64  
Чита (3022)38-34-83  
Якутск (4112)23-90-97  
Ярославль (4852)69-52-93

Россия +7(495)268-04-70

Казахстан +7(7172)727-132

Киргизия +996(312)96-26-47

Адрес: <https://sagi.nt-rt.ru/> || эл.почта: [sig@nt-rt.ru](mailto:sig@nt-rt.ru)

# KUJBA



## Refrigerated counter-Depth 60cm-Universal

One-piece AISI 304 stainless steel body. Temperature ranges: 0/+10°C. Worktop 60 mm thick in AISI 304 stainless steel with splashback 85 mm. Depth 60 cm. For shelves 32,5x46 cm. 3 doors. Control panel with digital thermometer - thermostat.



### General information

|                             |                        |
|-----------------------------|------------------------|
| Supplier/producer 's name   | SAGI                   |
| Series                      | Universal              |
| Supplier's model identifier | KUJBA                  |
| Category                    | counter cabinet        |
| Type                        | refrigerated counter   |
| Line                        | catering - depth 60 cm |

### Technical features

|                                |                                                                                                  |
|--------------------------------|--------------------------------------------------------------------------------------------------|
| Temperature ranges, °C         | 0/+10                                                                                            |
| Energy Efficiency Class        | C                                                                                                |
| Energy consumption, kWh/24h    | 2,433                                                                                            |
| Energy consumption/year, kWh/a | 888                                                                                              |
| Method for energy consumption  | EN 22041                                                                                         |
| Energy Efficiency Index        | 38,21                                                                                            |
| Net usable volume, lt          | 209                                                                                              |
| Volume, gross, lt              | 353                                                                                              |
| Climate class                  | 5 (+40°C, 40% R.H.)                                                                              |
| Heavy duty cabinets            | This appliance is intended for use in ambient temperatures up to 40 °C                           |
| Refrigerant/GWP                | R290/3                                                                                           |
| Refrigerant charge, kg         | 0,07                                                                                             |
| LWA dB(A)                      | 50                                                                                               |
| Cooling system                 | ventilated refrigeration system. U- flow air circulation to assure peak cooling unit reliability |
| Defrosting                     | automatic                                                                                        |

|                                |                 |
|--------------------------------|-----------------|
| Evaporation of condense drain  | automatic       |
| Refrigeration power at -10°C W | 465             |
| Frequency/voltage              | 230V 1N~ / 50Hz |
| Electric power, kW             | 0,28            |

### Construction features

|                           |                                                                                                     |
|---------------------------|-----------------------------------------------------------------------------------------------------|
| Structure                 | one-piece structure with rounded internal corners                                                   |
| External material         | AISI 304 stainless steel                                                                            |
| Internal material         | AISI 304 stainless steel                                                                            |
| Internal bottom           | with rounded corners                                                                                |
| Insulation thickness, mm  | 60                                                                                                  |
| Worktop                   | worktop 60 mm thick in AISI 304 stainless steel (8/10mm), with soundproofing lining; with splashbac |
| Internal structure        | AISI 304 stainless steel grid-supporting rack                                                       |
| Positions (n.)/spaced, mm | 11/40,5                                                                                             |
| Evaporator                | with an anti-corrosion treatment                                                                    |
| Easymaintenance           | the cooling unit pulls out to simplify routine cleaning of the condenser                            |
| Feet                      | stainless steel AISI 304, adjustable in height                                                      |
| Height of feet, mm        | 140 ÷ 200                                                                                           |
| Equipped with             | 3 doors                                                                                             |

### Control and functions

|                 |                        |
|-----------------|------------------------|
| Kinf of control | thermometer-thermostat |
| Display         | digital                |
| Alarms          | optical and acoustical |

### Standard

|                              |                                                                                                 |
|------------------------------|-------------------------------------------------------------------------------------------------|
| Key-lock                     | optional                                                                                        |
| Shelf's dimensions, cm       | 32,5x46                                                                                         |
| Shelves and couple of guides | complete with 1 pair of AISI 304 stainless steel runners and 1 plastic-coated shelf for section |

### Dimensions and weights

|                        |             |
|------------------------|-------------|
| Packing (LxDxH), cm    | 192x66x100  |
| Dimensions (LxDxH), cm | 185x60x98,5 |
| Gross Weight (kg)      | 138         |
| Net Weight (kg)        | 126         |

## По вопросам продаж и поддержки обращайтесь:

Алматы (7273)495-231  
Ангарск (3955)60-70-56  
Архангельск (8182)63-90-72  
Астрахань (8512)99-46-04  
Барнаул (3852)73-04-60  
Белгород (4722)40-23-64  
Благовещенск (4162)22-76-07  
Брянск (4832)59-03-52  
Владивосток (423)249-28-31  
Владикавказ (8672)28-90-48  
Владимир (4922)49-43-18  
Волгоград (844)278-03-48  
Вологда (8172)26-41-59  
Воронеж (473)204-51-73  
Екатеринбург (343)384-55-89  
Иваново (4932)77-34-06  
Ижевск (3412)26-03-58  
Иркутск (395)279-98-46  
Казань (843)206-01-48

Калининград (4012)72-03-81  
Калуга (4842)92-23-67  
Кемерово (3842)65-04-62  
Киров (8332)68-02-04  
Коломна (4966)23-41-49  
Кострома (4942)77-07-48  
Краснодар (861)203-40-90  
Красноярск (391)204-63-61  
Курск (4712)77-13-04  
Курган (3522)50-90-47  
Липецк (4742)52-20-81  
Магнитогорск (3519)55-03-13  
Москва (495)268-04-70  
Мурманск (8152)59-64-93  
Набережные Челны (8552)20-53-41  
Нижний Новгород (831)429-08-12  
Новокузнецк (3843)20-46-81  
Ноябрьск (3496)41-32-12  
Новосибирск (383)227-86-73

Омск (3812)21-46-40  
Орел (4862)44-53-42  
Оренбург (3532)37-68-04  
Пенза (8412)22-31-16  
Петрозаводск (8142)55-98-37  
Псков (8112)59-10-37  
Пермь (342)205-81-47  
Ростов-на-Дону (863)308-18-15  
Рязань (4912)46-61-64  
Самара (846)206-03-16  
Саранск (8342)22-96-24  
Санкт-Петербург (812)309-46-40  
Саратов (845)249-38-78  
Севастополь (8692)22-31-93  
Симферополь (3652)67-13-56  
Смоленск (4812)29-41-54  
Сочи (862)225-72-31  
Ставрополь (8652)20-65-13  
Сургут (3462)77-98-35

Сыктывкар (8212)25-95-17  
Тамбов (4752)50-40-97  
Тверь (4822)63-31-35  
Тольятти (8482)63-91-07  
Томск (3822)98-41-53  
Тула (4872)33-79-87  
Тюмень (3452)66-21-18  
Ульяновск (8422)24-23-59  
Улан-Удэ (3012)59-97-51  
Уфа (347)229-48-12  
Хабаровск (4212)92-98-04  
Чебоксары (8352)28-53-07  
Челябинск (351)202-03-61  
Череповец (8202)49-02-64  
Чита (3022)38-34-83  
Якутск (4112)23-90-97  
Ярославль (4852)69-52-93

Россия +7(495)268-04-70

Казахстан +7(7172)727-132

Киргизия +996(312)96-26-47

Адрес: <https://sagi.nt-rt.ru/> || эл.почта: [sig@nt-rt.ru](mailto:sig@nt-rt.ru)